




60cm x 60cm



90cm x 50cm



120cm x 50cm



Motors

1400m³/hr - 6" Outlet
2000m³/hr - 8" Outlet

Warranty

7 Years (Parts & Labour)
Subject to Registration

EEL Rating

A

Duct Size

1400m³/hr - 150mm Minimum
Round or Rectangular Equivalent

2000m³/hr - 200mm Minimum
Round or Rectangular Equivalent

Remote Control

Yes

Box Dimensions (CM) & Weight

60cm x 60cm Body	74x74x40	9,7kg
90cmx50cm Body	106x63x36	13,7kg
120cmx50cm Body	144x58x55	16,7Kg
Flat Roof Motor	64.5x51x76.5	19kg
Pitched Roof Motor	58.5x48.5x38	13.9kg
Wall Motor	58.5x48.5x38	13.9kg


Lighting

60cm x 60cm	1x LED Panel 19w 4000° Kelvin
90cm x 50cm	1x LED Panel 25w 4000° Kelvin
120cm x 50cm	1x LED Panel 29,1w 4000° Kelvin


Our external motors are designed with a round 6" or 8" ducting outlet.

- 1400m³/hr motors have a 6"/150mm outlet. Adapters will not fit directly on to the motor exhaust. A small piece of round ducting will be required to fit on to the outlet first. These motors can be ducted up to 6m.
- 2000m³/hr motors have a 8"/200mm outlet. Adapters will fit directly on to the motor exhaust. Round plastic ducting pipe will not fit on to the outlet. These motors can be ducted up to 8m.


*Please see all available options on our website




Flat Roof Motor




Pitched Roof Motor



Wall Mounted Motor





Flat Roof External Motor

Pitched Roof External Motor

Wall Mounted External Motor

